

TB Series

Upright Digital Microscopes with Tablet PC





The result of a perfect fusion between years of experience in the microscopy field and a refined design study.

Quality, Reliability and Innovation: this is B-190TB.



Fast, accurate and dependable results delivered in one click!

Enjoy looking at the Tablet PC in a comfortable position



Simultaneous data and power feed



B-190TB Model

Optical system:

The optical system has been developed for the most demanding users; it consists of high quality components which guarantee an high image contrast and an excellent optical resolution. The optical components have been designed and treated with special techniques to prevent the formation of moulds and fungi.

Stand:

The stand has a modern and ergonomic design. It is easy to carry the microscope thanks to the large opening behind the revolving nosepiece, to be used as a handle. The opening allows the user to see clearly the objectives and the samples, as requested in discussion groups.

Mechanics:

The moving parts are made by means of machine tools with computerized numerical control reducing manufacturing tolerance and increasing the reliability of the instrument. The strict controls on materials and production processes are optimized through the procedures established by ISO 9001:2008 quality system.

Illumination:

X-LED² type with white LED; light intensity control using a knob on left side of the frame.

LED power 3W, comparable to a 30-35W halogen bulb.

Camera:

Digital camera resolution: 3.14 MegaPixels Signal output: USB 2.0 - Sensor size: 1/2.5" Sensor technology: CMOS- Image format: 4/3

Full Image Size: 2048x1536. NO driver (microsoft driver). Capture features: continuous auto exposure, image size, image

capture, compressed video capture.

Control parameters: brightness, gain, exposure time, colors, color enhancement.

Tablet PC:

Equipped with Windows 8.1 operating system. Included: Image Analysis software OPTIKA VISION LITE, full view function is also included for a wider Live Camera view.

2GB standard memory. 16+16 GB capacity flash memory. 8.9" screen size. Tablet PC with OPTIKA detachable system.

Upright Digital Microscopes with Tablet PC |B-290TB|

This series incorporates all the experience gathered by OPTIKA Microscopes in the field of light microscopy, adapted specifically for routine laboratory brightfield applications.

B-290TB is suitable for routine microscopy and has an ergonomic design for comfortable long-term use.



Enjoy looking at the Tablet PC in a comfortable position



Simultaneous data and power feed

B-290TB Model

Optical system:

The optical system has been developed for the most demanding users; it consists of high quality components which guarantee an high image contrast and an excellent optical resolution. The optical components have been designed and treated with special techniques to prevent the formation of moulds and fungi.

Stand:

The stand has a modern and ergonomic design. It is easy to move the microscope thanks to the large opening behind the revolving nosepiece, to be used as a handle. The opening allows the user to see clearly the objectives and the samples, as requested in discussion groups.

Mechanics:

The moving parts are made by means of machine tools with computerized numerical control. In this way we have reduced the manufacturing tolerance and increasing the reliability of the instrument. The strict controls on materials and production processes are optimized through the procedures established by ISO 9001:2008 quality system.

Illumination:

X-LED³ type with white LED; light intensity control using a knob on left side of the frame.

LED power 3.6W, comparable to a 50W halogen bulb.

Camera:

Digital camera resolution: 3.14 MegaPixels
Signal output: USB 2.0 - Sensor size: 1/2.5"
Sensor technology: CMOS- Image format: 4/3
Full Image Size: 2048x1536. NO driver (microsoft driver).
Capture features: continuous auto exposure, image size, image capture, compressed video capture.
Control parameters: brightness, gain, exposure time, colors, color enhancement.

Tablet PC:

Equipped with Windows 8.1 operating system. Included: Image Analysis software OPTIKA VISION LITE, full view function is also included for a wider Live Camera view.


2GB standard memory. 16+16 GB capacity flash memory. 8.9" screen size. Tablet PC with OPTIKA detachable system.





A COMPLETELY NEW EXPERIENCE

Discover the unmatched comfort of simultaneous camera and power connection, providing an unparalleled solution ideal for long-term operation.





EXCEPTIONAL OPERABILITY

Equipped with Intel quad-core processor.

Battery life up to 10 hours.

You can detach the tablet and use it as a laptop.



You can connect a USB keyboard or WiFi mouse and then use it as a desktop PC always connected to the microscope.

Technical specification

OPERATING SYSTEM		NETWORK & COMMUNICATION	
OS	Windows 8.1	LAN wireless	Yes
PROCESSOR AND CHIPSET		Wireless LAN standard	IEEE 802.11a/g/n
Processor manufacturer	Intel	Bluetooth	Yes
Processor Type	Bay Trail	Standard Bluetooth	Bluetooth 4.0
Model	Z3735F	INTERFACES / PORTS	notika 🚨
Speed	1,83 GHz	HDMI	Yes
Processor Core	Quad core	INPUT DEVICES	
<u>MEMORY</u>		Keyboard Type	Touchscreen
Standard Memory	2 GB	BUILT-IN DEVICES	De la constant
Memory Technology	LPDDR3	Microphone	Yes
Memory Card Reader	Yes	<u>SOFTWARE</u>	
Supported memory	microSD	Operating System	Windows 8.1 32-bit
<u>STORAGE</u>		Software	Microsoft Office (1 year)
Capacity flash memory	16+16 GB	Image Analysis software	OPTIKA VISION LITE
DISPLAY AND GRAPHICS		BATTERY INFORMATION	
Screen Size	8.9"	Number of Cells	2-cell
Screen Type	LCD color TFT	Battery Chemistry	Lithium ION
Screen Mode	Full HD	Battery Capacity	6000 mAh
Screen Resolution	1920 x 1200	POWER DESCRIPTION	
Backlight technology	LED	Maximum Power Supply Wattage	10 W
Touchscreen	Yes	WEIGHT AND DIMENSIONS	
Multi-touch screen	Yes	Thickness	9,5 mm
Graphics Controller Manufacturer	Intel	Width	220 mm
Graphics Controller Model	HD Graphics	Height	157 mm
Graphics Memory Technology	LPDDR3	Weight (Approximate)	477 g
Graphics Memory Accessibility	Shared		



Headquarters and Manufacturing Facilities

OPTIKA S.r.I.

Via Rigla, 30 - 24010 Ponteranica (BG) - ITALIA - Tel.: +39 035.571.392 - Fax: +39 035.571.435 - info@optikamicroscopes.com

Optika Sales branches

OPTIKA[®] Spain **OPTIKA**[®] China

spain@optikamicroscopes.com china@optikamicroscopes.com

OPTIKA° USA

usa@optikamicroscopes.com **OPTIKA*** **Hungary** hungary@optikamicroscopes.com